



BROOKS *floor*

THE NATURAL CHOICE



brooks bros for **hardwood flooring**

EDITION TWO





Brooksfloor is the brand by which Brooks Bros (UK) promotes its floors.

We've been sourcing and trading timbers, from all corners of the world, for some sixty years which we believe places us perfectly to offer real choices in hardwood flooring.

Our line-up majors on traditional Oak (certified French and European) and includes multi-ply, engineered and solid wood boards, in an amazing choice of surface finishes or just naturally unfinished. Plus, if you're looking for something that bit special, bespoke flooring.

With 50,000 plus square metres of flooring always held in stock we believe we offer a positive solution to any flooring project that also includes supplying matching accessories, provides the perfect finishing touch as well as the extras needed to complete the job and ensure the flooring will stand the test of time.

Our website at www.brooksfloor.co.uk will also guide you through our ranges and services.



Cover small picture left: HERRINGBONE Chalfield (see page 29)

Cover small picture right: BUCKINGHAM UV Oiled (see page 27)

This page: HARO Tobacco, Grey Oiled (see page 25)

You may be thinking, because it looks good!

It's chic! It's 'in-vogue'! But, what you may not know are the many other benefits of owning a hardwood floor:



It's a healthier option - allergen producing dust mites, food spills and dust trapped in/on other floor coverings can play havoc with allergy sufferers - with hardwood nothing is hidden.



It's easy to keep clean - a simple brush or light vacuum keeps your hardwood floor looking great and even mud vanishes with a damp mop.



It's first impression effect - the sweet smell of a polished hardwood floor is always an inviting delight, which is often an advantage when buying or selling.



It's timeless appeal - a well-fitted, good quality, properly maintained hardwood floor should last for decades - unlike other flooring options.



It's attainable - whatever your budget, there's bound to be a floor just for you.



Having chosen hardwood and Brooksfloor, you now have a few more choices to make. Should it be Solid Wood? Multi-ply? or Engineered? Unfinished or a particular pre-finish?

- > **Solid Wood** - is exactly what it says it is: flooring produced from a solid piece of timber.
- > **Multi-ply** - Again, what it says it is: several layers of wood (in some cases cross-layered) bonded together to create a really strong core board that is then topped off with a solid wood top (wear) layer.
- > **Engineered** - Similar to multi-ply but normally just formed with three layers (wear, core and base).
- > **Herringbone or Chevron** - options you may not be aware of!
- > **Unfinished or Finished** - Unfinished is just that, and the choice of Finished is wide: grades, colours, oiled, lacquered, limed, stained...the list goes on...filled, brushed, distressed, and more. Check out each range for the look you're after.
- > **Now choose your floor...**



MULTI-PLY FLOORING

BLENHEIM

20mm French Oak	6 - 7
18mm and 14mm French Oak	8 - 9
20mm and 18mm American Black Walnut	10 - 11

THE PRIMES

20mm and 18mm French Oak	11
--------------------------	----

LOCH

14mm French Oak	12 - 13
-----------------	---------

BARN

20mm French Oak	12 - 13
-----------------	---------

ENGINEERED FLOORING

BALMORAL

14mm PEFC French Oak	14 - 15
----------------------	---------

TIMBERTOP

22mm Castle	16 - 17
14mm Classic and Lifestyle	18 - 19
14mm Variante	20 - 21

HARO®

13.5mm Click Fix	22 - 25
------------------	---------

SOLID WOOD FLOORING

BUCKINGHAM

20mm European Oak	26 - 27
18mm PEFC French Oak	26 - 27

HERRINGBONE FLOORING

22mm Solid European Oak	28 - 29
15mm Multi-ply Oak	28 - 29

BESPOKE FLOORING

30

ACCESSORIES



Installation and Underlays	31
Adhesives, Finishes and Aftercare	32
Profiles	33 - 34

RESPONSIBLE SOURCING

35

blenheim

Elegant flooring that displays all the stunning and timeless characteristics of real Oak through 10 classic finishes (or unfinished), four board widths and a choice of board lengths that make creating a dream floor a reality!





BLenheim | 20/6mm FRENCH OAK

Grade: Character.

Board Dimensions: Thickness: 20mm. Wear Layer: 6mm.
Widths: 189mm and 240mm.

Lengths: 1900mm and 2200mm (allowing max 25% nested).

Board Description: Fixing: Tongue and groove. Profile: Micro bevel on all four sides.

Pack Sizes: 189mm: 1.796m². 240mm: 2.112m².

A UV Oiled
189mm wide: M1002

B Unfinished
189mm wide: M1001

C Satin Lacquered
189mm wide: M1003

D Smoked/UV Oiled
189mm wide: M1006

E Unfinished
240mm wide: M1010

F UV Oiled
240mm wide: M1008

G Hand-Scraped, Distressed, Cognac Stained, UV Oiled
189mm wide: M1007


H Brushed/UV Oiled
189mm wide: M1009

I Raw Matt Invisible Lacquered
189mm wide: M1011

Also Available:
Brushed/UV Oiled
240mm wide: M1012

To experience the real thing, our Maldon and Nottingham showrooms are open 6 days a week
Weekdays: 8am - 5pm
Saturdays: 9am - 1pm
or request a sample.
(details on the back cover)








H M2012



I M2015




J M4001



K M4003



L M4002



M M4004

BLenheim | 18/4mm FRENCH OAK

Grade: Character.

Board Dimensions: Thickness: 18mm. Wear Layer: 4mm.
Width: 150mm. Lengths: 400mm to 1500mm random.

Board Description: Fixing: Tongue and groove.
Profile: Micro bevel on all four sides.

Pack Size: 1.98m².

A Satin Lacquered
150mm wide: M2001

B UV Oiled
150mm wide: M2002

C Smoked/UV Oiled
150mm wide: M2003

D Smoked/Satin Lacquered
150mm wide: M2009

E Hand-Scraped, Distressed, Cognac Stained, Lacquered
150mm wide: M2004

F Hand-Scraped, Distressed, Cognac Stained, UV Oiled
150mm wide: M2008

G White Oiled
150mm wide: M2011

H Smoked, Limed, Lacquered
150mm wide: M2012

I Brushed, UV Oiled
150mm wide: M2015

BLenheim | 14/3mm FRENCH OAK

Grade: Character.

Board Dimensions: Thickness: 14mm. Wear Layer: 3mm.
Width: 190mm. Length: 1900mm (max 25% shorter boards).

Board Description: Fixing: Tongue and groove.
Profile: Micro bevel on all four sides.


Pack Size: 2.888m².

J Shade
Brushed Grey, UV Oiled: M4001

K Ice
Brushed Ice White, UV Oiled:
M4003

L Raw
Matt Lacquered: M4002

M Earth
Brushed Dark Stained, UV Oiled:
M4004





D P2002

**BLENHEIM | 20/6mm and 18/4mm
AMERICAN BLACK WALNUT**

Grade: Character.

Board Dimensions (20mm): Thickness: 20mm. Wear Layer: 6mm. Width: 190mm. Lengths: 1900mm (max 25% shorter boards).

Board Dimensions (18mm): Thickness: 18mm. Wear Layer: 4mm. Width: 150mm. Lengths: 400mm - 1500mm random lengths.

Board Description: Fixing: Tongue and groove. Profile: Micro bevel on all four sides.

Pack Sizes: 20mm: 1.444m². 18mm: 1.98m².

A Satin Lacquered

190mm wide: W1001

Satin Lacquered

150mm wide: W1003

B UV/Oiled

190mm wide: W1002

UV/Oiled

150mm wide: W1004

THE PRIMES | 20/6mm and 14/3mm

Grade: Prime AB.

Board Dimensions (20mm): Thickness: 20mm. Wear Layer: 6mm. Width: 190mm. Length: 1900mm (max 25% shorter boards).

Board Dimensions (14mm): Thickness: 14mm. Wear Layer: 3mm. Width: 189mm. Length: 1900mm (max 25% shorter boards).

Board Description: Fixing: Tongue and groove. Profile: Micro bevel on all four sides.

Pack Sizes: 20mm: 1.444m². 14mm: 2.873m².

C Multi-ply/Unfinished

190mm wide: P2003

Engineered/UV Oiled

189mm wide: P2001

D Multi-ply/UV Oiled



190mm wide: P2002

loch

Elegant multi-ply flooring inspired by the majesty of the Scottish Lochs that features a French Oak wear layer in a choice of six colour finishes that beautifully spotlight the characteristics of real wood.

barn

As its title suggests, what you get with this multi-ply is a truly rustic looking floor with a supple UV oiled finish.





LOCH | 14/3mm FRENCH OAK

Grade: Rustic.

Board Dimensions: Thickness: 14mm. Wear Layer: 3mm.
Width: 180mm. Length: 1800mm (allowing max 25% nested).

Board Description: Fixing: Tongue and groove. Profile: Micro bevel on all four sides.

Pack Size: 2.592m².

A Rannoch
Smoked, Brushed, Hand-Scraped,
Sunken Filler, Oiled: L1001

D Tay
Brushed, Sunken Filler, Oiled.
L1004

B Achray
Smoked, Brushed, Light White
Grain, Sunken Filler, Oiled:
L1002

E Sheil
Brushed, Limed, Oiled: L1005

C Morar
Smoked, Limed, Sunken Filler,
White Oiled: L1003

F Tummel
Brushed, Black Grain,
Sunken Filler, Oiled: L1006

BARN | 20/6mm FRENCH OAK

Grade: Barn.

Board Dimensions: Thickness: 20mm. Wear Layer: 6mm.
Width: 189mm. Length: 1900mm (allowing max 25% nested).

Board Description: Fixing: Tongue and groove. Profile: Micro bevel on all four sides.

Pack Size: 1.796m².


G UV Oiled
B1001


balmoral

With its choices of grades (2), finishes (10) and board widths (3), you'll be hard pressed to make an instant decision here. But, whatever your choice, you won't be disappointed with the end result.

This combination of engineered strength is perfect for fitting over underfloor heating.

In a word, Balmoral turns mediocre into 'majestic'.





BALMORAL | 14/3mm FRENCH OAK

Grades: Rustic.

Board Dimensions: Thickness: 14mm. Wear Layer: 3mm.
Widths: 150mm and 190mm. Length: 1900mm (max 25% shorter boards).

Board Description: Fixing: Tongue and groove.
Profile: Micro bevel on all four sides.

Pack Sizes: 150mm: 2.28m². 190mm: 2.888m².

A Matt Lacquered
150mm wide: E2001A
190mm wide: E2003A

B UV Oiled
150mm wide: E2002A
190mm wide: E2004A

C Unfinished
190mm wide: E2007A

D Hand-Scraped, Cognac Stained
190mm wide: E2005A

E Hand-Scraped, Chocolate Stained
190mm wide: E2006A

F Raw Matt, Invisible Lacquered
190mm wide: E2008A

G Smoked, UV Oiled
190mm wide: E3003A

H Brushed, UV Oiled
190mm wide: E2017A

I Brushed, Matt Lacquered
190mm wide: E2018A

BALMORAL | 14/4mm FRENCH OAK

Grades: Character.

Board Dimensions: Thickness: 14mm. Wear Layer: 4mm.
Widths: 240mm. Length: 2200mm (max 25% shorter boards).

Board Description: Fixing: Tongue and groove.
Profile: Micro bevel on all four sides.

Pack Size: 3.168m².

J UV Oiled
240mm wide: E2014


K Matt Lacquered
240mm wide: E2015

Smoked/UV Oiled
240mm wide: E2016

timbertop

Offered exclusively in the UK by Brooksfloor, this combination of Far Eastern and European timbers is engineered to create the most comprehensive collection of flooring products.

Engineered with 3-ply stability, these floors feature solid Oak wear layers, a 'Hevea' solid Rubberwood core, a wide choice of styles, finishes and colours with a wide selection of thicknesses, widths and lengths.





D TT1013

TIMBERTOP | 22/6mm CASTLE

Grade: Rustic.

Board Dimensions: Thickness: 22mm. Wear Layer: 6mm (nominal)..
Width x Length: 190mm x 1820mm and 290mm x 2130mm.

Board Description: Fixing: Tongue and groove. Profile: Micro bevel on all four sides. Core: Hevea solid Rubberwood.* Finish: Bona Naturale*

Pack Sizes: 190mm: 1.384m². 290mm: 2.471m².

A Balmoral (290mm)
Heavy Brushed, Random-Width Effect, Bowtie Repairs, Smoked, Matt Oiled: TT1011

B Courcheval (190mm)
Smooth Deep Grey-Brown Reactive Stain: TT1014

C Majorca (190mm)
Smooth Subtle Grey-Brown Reactive Stain: TT1012

D Mauritius (190mm)
Smooth Shimmering Grey Reactive Stain: TT1013

E Whistler (190mm)
Medium Brushed Dark Reactive Stain with Deep White Surface: TT1015

F Windsor (290mm)
Heavy Brushed, Random-Width Effect, Bowtie Repairs, Matt Oiled: TT1010





E TT1015




F TT1010

If you would like more information or a sample of any of our floors, please call your usual/nearest Brooksfloor Sales Office or email us. You can also pay a visit to one of our Showrooms (details on the back cover) or check out our website: www.brooksfloor.co.uk







D TT1003



E TT1005



F TT1009



G TT1006



H TT1007

TIMBERTOP | 14/3.2mm CLASSIC STRIP

Grade: Rustic.

Board Dimensions: Thickness: 14mm. **Wear Layer:** 3.2mm (nominal).
Width: 165mm. **Length:** 1820mm (allowing max 50% nested).

Board Description: **Fixing:** Tongue and groove. **Profile:** Micro bevel on all four sides. **Core:** Hevea solid Rubberwood.*

Pack Size: 1.802m².

A Snow

Lightly Brushed, White Washed,
Matt Oiled: TT1002

C Shadow

Lightly Brushed, Dark Triple
Smoked, Matt Oiled: TT1004

B Ice

Lightly Brushed, White Grain,
Matt Oiled: TT1001

TIMBERTOP | 14/3.2mm LIFESTYLE

Grade: Rustic.

Board Dimensions: Thickness: 14mm. **Wear Layer:** 3.2mm (nominal).
Width: 190mm. **Length:** 1820mm (allowing max 20% nested).

Board Description: **Fixing:** Tongue and groove. **Profile:** Micro bevel on all four sides. **Core:** Hevea solid Rubberwood.*

Pack Size: 2.075m².

D Himalayas

Lightly Brushed, Deep White,
Oiled: TT1003

G Tip Top Grey

Medium Brushed, Dark Grey,
Washed, Matt Oiled: TT1006

E Laurentians

Lightly Brushed, Dark, Triple
Smoked, Lime Grain, Matt Oiled:
TT1005

H Zanzibar

Lightly Brushed, Grey, Washed,
Matt Oiled: TT1007

F Spirit

Lightly Brushed, Sand Washed,
Limed, Matt Oiled: TT1009

timbertop variante

Variante boasts a 3.2mm European Oak wear layer, carefully selected to highlight its rustic nature.

With sunken filler to emphasise and retain its charm, its four modern, earthy colour finishes and its two width options,

Variante is quickly becoming a firm favourite.



A TT1020



B TT1021



C TT1022



D TT1023

TIMBERTOP | 14/3.2mm VARIANTE

Grade: Rustic.

Board Dimensions:

Thickness: 14mm. **Wear Layer:** 3.2mm. **Widths:** 190mm and 240mm.
Lengths: 2130mm - 2450mm.

Board Description:

Fixing: Tongue and groove. **Profile:** Micro bevel on all four sides.

Pack Sizes: 190mm: 2.793m². 240mm: 2.352m².

A Marianna

Smoked/Grey Reactive Stain/
Brushed Oak with Sunken Filler.
190mm wide: TT1020
240mm wide: TT1024

C Delfi

Brushed Oak/Lime White with
Sunken Filler.
190mm wide: TT1022
240mm wide: TT1026

B Hayward

Smoked/Brushed Oak with
Sunken Filler.
190mm wide: TT1021
240mm wide: TT1025

D Sumatra

Brushed Oak/Grey Reactive Stain
with Sunken Filler.
190mm wide: TT1023
240mm wide: TT1027



To help when choosing, our floors are graded (Character, Prime, Rustic, etc) by the levels of the wood's natural features (size and number of knots, colour variation and amount of sap). For details call us or go to our website: www.brooksfloor.co.uk/whywood.php.

haro[®]

Whether your choice is the offset parallel pattern of 3-strip or 1-strip (with its clear-cut, spacious Mediterranean look), Haro[®] has something to complement every interior layout and style – both classical and contemporary.

Plus!..laying it couldn't be simpler: just angle-engage the individual boards in a perfect, seamless fit.

Angle in, Click, Finished!





B 535414



C 535418



D 532982



E 536545

**HARO® | 13.5mm EUROPEAN OAK (PEFC)
‘CLICK FIX’**

Grades: Rustic and Character.

Board Dimensions: Thickness: 13.5mm. Wear Layer: 3mm (nominal).
Widths: 180mm and 240mm. Length: 2200mm.

Board Description: Fixing: Click.

Pack Sizes: 3.17m².

RUSTIC GRADE 3-STRIP:

A Lacquered
180mm wide: 524404

**B Sand White,
Matt Lacquered**
180mm wide: 535414

**C Sand Grey,
Matt Lacquered**
180mm wide: 535418


D Tobacco Grey, Oiled
180mm wide: 532982

CHARACTER GRADE 1-STRIP:

E Sand White, Oiled
240mm wide: 536545

Brooksfloor, one stop for flooring! From around 100 floors (or bespoke), to everything for getting the job started (underlays, tools and adhesives) and finished (lacquers, oils and after-care products).
Check out pages 31 to 34.







**HARO® | 13.5mm EUROPEAN OAK (PEFC)
'CLICK FIX'**

Grades: Rustic and Character.

Board Dimensions: Thickness: 13.5mm. Wear Layer: 3mm (nominal).
Widths: 180mm and 240mm. Length: 2200mm.

Board Description: Fixing: Click. Profile: Micro bevel and square edged
on all four sides.

Pack Sizes: 3.17m².

RUSTIC GRADE 1-STRIP:

**A Sand Pure,
Matt Lacquered**
180mm wide: 535446

**E Brushed,
Matt Lacquered**
180mm wide: 535448

**B Crystal White,
Sauvage Brushed**
180mm wide: 538935

**F Smoked,
Matt Lacquered**
180mm wide: 535466

**C Sand Grey,
Matt Lacquered**
180mm wide: 535450

**G Reed Brown,
Sauvage Brushed**
180mm wide: 539089

D Tobacco Grey, Oiled
180mm wide: 530795
240mm wide: 533498

Also Available:
Sand White, Matt Lacquered
180mm wide: 535444

CHARACTER GRADE 1-STRIP:

H Puro White, Oiled
240mm wide: 533497

I Deep Brushed, Oiled
240mm wide: 533495



buckingham

If you're looking for the warmth, smell and strength of real wood, our Buckingham solid Oak floors offer just that.

Our Oak comes from well-managed, sustainable European forests. Choose from classical unfinished character grade or cottage grade supplied lacquered or oiled.

These are our 'crème de la crème' floors offering fantastic value for money!





BUCKINGHAM | 20mm SOLID EUROPEAN OAK

Grade: Rustic.

Board Dimensions: Thickness: 20mm. Widths: 140mm and 160mm. 180mm and 200mm. Lengths: 800mm to 2200mm.

Board Description: Fixing: Tongue and groove. Profiles: Micro bevel on two sides. Square edged.

Pack Size: Random.

A Unfinished, Sanded and Filled with Square Edge Profile

140mm wide: S4007
160mm wide: S4013
180mm wide: S4015
200mm wide: S4009

B Unfinished, Sanded and Filled with Micro Bevel Profile

140mm wide: S4006
160mm wide: S4012
180mm wide: S4014
200mm wide: S4008

BUCKINGHAM | 18mm SOLID PEFC FRENCH OAK

Grade: Cottage

Board Dimensions: Thickness: 18mm. Widths: 125mm and 150mm. Lengths: 400mm to 1500mm.

Board Description: Fixing: Tongue and groove. Profiles: Micro bevel on all four sides.

Pack Sizes: 125mm: 2.2m². 150mm: 1.98m².

C Satin Lacquered




125mm wide: S4002
150mm wide: S4004


D UV Oiled

125mm wide: S4003
150mm wide: S4005

herringbone

Of all of our floors, this is possibly the most eye catching from a vintage, classical angle. Check out the Chevron pattern for the perfect herringbone effect.





E H1016



F H1018



G H1019



H H1012



I H1013



J H1017

HERRINGBONE | 22mm SOLID EUROPEAN OAK

Grade: Character and Prime.

Board Dimensions: Thickness: 22mm. Width: 70mm. Length: 280mm.

Board Description: Fixing: Tongue & groove. Profile: Square edged.

Pack Size: 0.784m².

Character Grade:

Unfinished: H1001

Tumble Unfinished: H1003

Smoked Tumbled

Unfinished: H1008

Prime Grade:

Unfinished: H1002

HERRINGBONE | 15/4mm MULTI-PLY OAK

Grade: Select and Character.

Board Dimensions: Thickness: 15mm. Wear Layer: 4mm.

Width: 120mm. Length: 600mm.

Board Description: Fixing: Tongue & groove. Profile: Micro bevelled all round.

Pack Size: 1.152m².

Select Grade:

A Hatfield

Unfinished: H1010

B Burghley

Oiled: H1011

C Benton

Brushed Grey/Oiled: H1014

D Apsley

Raw/Matt Lacquered: H1015

E Witley

Iced/Oiled: H1016

F Chalfield

Brushed/Oiled: H1018

G Eastbury

Smoke/Oiled: H1019

Character Grade:

H Hardwick

Black Grain/Oiled: H1012

I Chatsworth

HS Cognac/Oiled: H1013

J Alnwick

Chevron/Unfinished: H1017

bespoke flooring

If you're wanting something that's a bit special: something you haven't seen as you've browsed the book, we're the people to talk to.



Brooks Bros' state-of-the-art mill facilities are equipped with a range of 23 moulders (including Weinig Powermat 500, 1500 and 3000 new generation moulders). Which means the solid wood floor you want to specifically match a personal taste: whether a big production run or a smaller job, is possible. You can have the flooring supplied to any size, unfinished or we will finish to your specification.

installation

Creating the best wooden floor requires proper preparation, the right tools for the job, matching accessories and the after-care essentials to keep your dream floor looking good and extend its life considerably.



We have everything you need to take you through the job. Starting with underlays and adhesives. Next, the eye-to-detail finishing touches - the matching profiles (see pages 33/34) that complete the picture. Then, the oils and lacquers to add the finishing touch. If you're installing the floor yourself, follow all instructions carefully and, if you're not sure about any aspect of the work, please contact your usual/nearest Brooksfloor Showroom or Brooks Bros Sales Desk (see back cover).

underlays



A



B



C



D



E



F

- A** **Timbertec Acoustic Plus** | 5mm rubber with gold moisture barrier | 8m² | U4010
- B** **Timbertec Silver Plus** | 3mm rubber with silver foil moisture barrier | 10m² | U4002
- C** **Barrier Plus** | 3mm foam with polythene moisture barrier | 15m² | U4001
- D** **Quicktherm** | 1.8mm perforated foam (for use with UFH) | 10m² | U4008
- E** **Basic** | 2mm foam | 15m² | U4007
- F** **Vapourtape** | For use with Timbertec underlays | 25m | U4009

adhesives



G



H



I



J



K



L

- G ProFlex Ultra MS Polymer** | For use with all wooden flooring up to 400mm wide | 16kg | A3010
- H ProFlex Contract MS Polymer** | For use with Engineered/Multi-ply boards up to 190mm wide | 16kg | A3019
- I FloorPrep Fastrack Liquid DPM** | For use with ProFlex Ultra and Contract adhesive | 5L | A3011
- J FloorPrep Surface Binder Liquid Primer** | For use with ProFlex Ultra and Contract adhesive | 5L | A3014
- K FloorPrep PVA Wood Flooring Adhesive** | 1kg | A3017
- L ProFloor Gun Cannister** | 600ml | A3005 | **ProFloor Ultra Gun Grade MS Polymer** | 600ml | A3013
ProFloor Contract Gun Grade MS Polymer | 600ml | A3015

finishes & aftercare




FINISHES:

- Bona Prime Classic Lacquer** | Pack size: 3 x 5L | A1001
- Bona Prime Traffic HD Lacquer** | Pack size: 3 x 5L | A1002
- Bona Mega Lacquer** | Pack size: 3 x 5L | A1003
- Osmo Satin/Matt Hardwax Oil** | 125ml | A2001
- Osmo Satin/Matt Hardwax Oil** | 75ml | A2005
- Osmo Satin/Matt Hardwax Oil** | 2.5L | A2007
- Osmo Wood Filler Mid Oak and Ebony** | 250g | A2009

AFTERCARE:

- Osmo Spray Mop** | For oiled floors | A2020
- Osmo Spray Mop Refill** | For oiled floors | A2021
- Bona Spray Mop** | For lacquered floors | A1008
- Bona Spray Mop Refill** | For lacquered floors | A1010
- Osmo Maintenance Oil** | Satin/Matt | A2023

skirting - american white oak (unfinished)



A Pencil Round/Chamfered and Rounded, Reversible 19 x 75mm
P1021

B Pencil Round/Chamfered and Rounded, Reversible 19 x 94mm
P1022

C Ogee/Chamfered and Rounded, Reversible 19 x 118mm
P1003

D Ogee/Torus 19 x 140mm
P1004

E Pencil Round/Chamfered Rounded, Reversible 19 x 140mm
P1023

F Ogee/Chamfered, Reversible 19 x 165mm
P1005

architrave - american white oak (unfinished)



G Ogee 19 x 68mm
P1018

H Chamfered and Rounded 19 x 68mm
P1006

I Torus 19 x 68mm
P1007

J Pencil Round 19 x 68mm
P1020

Chamfered 19 x 68mm
P1019

trim - american white oak (unfinished)



thresholds - american white oak (unfinished)



K Quadrant 19 x 19mm
P1008

L Scotia 19 x 19mm
P1009

M End Section 21 x 35mm
P1013

N Large Cover Strip 6 x 40mm
P1014

Small Cover Strip 6 x 25mm
P1015

Windowboard 18 x 218mm
W1001

Stair Nosing 44 x 60mm
Z1011 (Oak Lacquered: Z1010)

Pipe Covers - Sizes vary
(Unfinished, Lacquered, Cognac) A7001

O Large Ramp 26 x 84mm
P1010

Small Ramp 20 x 64mm
P1011

P Semi Ramp 27 x 50mm
P1024

Q T Section 21 x 55mm
P1012

VARIOUS FINISHES:

Ramp 21 x 63mm

Oiled, Lacquered, Smoked,
Cognac, Chocolate, Walnut
Z5001

Twin 16 x 50mm

Oiled, Lacquered, Smoked,
Cognac, Chocolate, Walnut
Z5002

Semi Ramp 21 x 57mm

Z5003

End Section 19 x 40mm

Z5004

Perimeter 16 x 30mm

Z5005

Scotia 19 x 19mm

Z5006

responsible sourcing

As forests around the world come under increasing pressure, it has never been more urgent to ensure that the timber-based products that we source support environmentally sound and socially beneficial practices - a promise that we will pass on to our customers.

Guiding us in our day-to-day purchasing, we operate a responsible Sourcing Policy that is informed by the latest regulatory, technological and market developments appropriate to our business. We take a systematic approach to ensure the legal origin of the timber in our products and to comply with the EU Timber Regulation and Construction Products Regulation.

However, we must look beyond legality as the laws in many countries do not necessarily equate to sustainability. That is why we source from companies that manage their forests responsibly and are able to demonstrate this through independent certification

according to internationally recognised standards. Where this is not possible, we work with our suppliers to transition towards more responsible practices.

Our certified products meet the UK government's procurement policy, specified by the Central Point of Expertise (CPET). They also lead to credit awards in BREEAM, a leading design and assessment method for sustainable buildings.

For more about how we are tackling the environmental impacts of our business read our Environmental Strategy at www.brookstimmer.co.uk/environment.php

EUTR

We have implemented a Due Diligence System which was developed by an EU Timber Regulation approved monitoring organisation, tailored to our businesses, that provides us with a steadfast assurance that we comply with the regulatory requirements. We map our supply chains to determinate origin of timber and the company involved in its processing and trading.

NATURE'S BARCODE™

To boost its responsible sourcing efforts, Brooksfloor is the first timber company in the UK to participate in the Nature's Barcode™ third party verification of supply chains. This ensures products are legally harvested and manufactured with consistent constituent species and origin.

For flooring users, this offers constant reassurance. You can be sure that Nature's Barcode™ products come with assurance of species, are traceable back to known forest areas and conform to national laws at every stage of the supply chain. Scientific testing is a truly independent way to verify the claimed origin of the wood used in production of the flooring. For Brooksfloor products sourced in China, testing confirms that its White Oak is of Western Europe, and not illegal, origin.

A quick scan of the Nature's Barcode™ QR code displayed on pallets and individual flooring packs takes you to the specific product page on Nature's Barcode website that confirms the origin and composition of the flooring in front of you.

For more about the verification system as applied to Brooks Bros and Brooksfloor products visit www.naturesbarcode.com/brooks-bros where information on the origin products and the verification programme are displayed.

Our brochure is printed on certified Galery Satin paper.



BROOKS *floor*

THE NATURAL CHOICE

Maldon: Blackwater Place | The Causeway | Maldon | Essex CM9 4GG
Telephone: 01621 877431 | Email: flooringsouth@brookstimber.co.uk

Nottingham: Lenton Lane | Nottingham NG7 2PR
Telephone: 0115 993 1138 | Email: flooring@brooksmidlands.co.uk

Sewstern: Gunby Road | Sewstern | Grantham | Lincolnshire NG33 5RD
Telephone: 01476 861097 | Email: flooring@brooksmidlands.co.uk

Skelmersdale: 1-3 Glebe Road | Gillibrands | Skelmersdale | Lancashire WN8 9JP
Telephone: 01695 553700 | Email: flooringnorth@brookstimber.co.uk

www.brooksfloor.co.uk

Details stated throughout this publication represent a fair description of the product or service offered and are given without liability. Availability and sizes are subject to confirmation at the time of order. Colours are as accurate as photographic and printing process allow. All goods are sold as per Brooks Bros Terms of Trading - a copy of which is available on request.